




PRODUCT-DETAILS

# PS1-3-1-65

## PS1-3-1-65 3-phase busbar for 3 MS116 / MS132 with 1 HK/SK, Ie=65A



General Information	
Extended Product Type	PS1-3-1-65
Product ID	1SAM201906R1113
EAN	4013614400735
Catalog Description	PS1-3-1-65 3-phase busbar for 3 MS116 / MS132 with 1 HK/SK, Ie=65A
Long Description	PS1-3-1-65 3-phase busbars ensure a quick and safe connection of 3 MS132 or MS116 manual motor starters with 1 lateral auxiliary contacts and are therefore a cost effective solution. The rated current is 65 A.

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85369010

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	2CDC131011M6802 2CDC131034M6801 2CDC131022M6802

Instructions and Manuals (Part 3)	1SBC100214C0202
CAD Dimensional Drawing	2CDC001079B0201
Dimension Diagram	1SAM200450F0006

Dimensions

Product Net Width	149.5 mm
Product Net Height	32.3 mm
Product Net Depth / Length	13 mm
Product Net Weight	0.06 kg

Technical

Rated Operational Voltage	690 V AC 250 V DC
Rated Operational Current (I <sub>e</sub> )	65 A
Rated Impulse Withstand Voltage (U <sub>imp</sub> )	6 kV
Number of Poles	9P
Degree of Protection	IP20
Pollution Degree	3
Standards	IEC/EN 60947-1 IEC/EN 60947-4-1 UL 60947-1 UL 60947-4-1

Technical UL/CSA

Maximum Operating Voltage UL/CSA	Main Circuit 600 V AC
-------------------------------------	-----------------------

Environmental

Ambient Air Temperature	Operation -25 ... +70 °C Storage -50 ... +80 °C
-------------------------	--

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SAA963005-4502
RoHS Information	1SAA963006-4502
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006539
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

cUL Certificate	1SAA963001-1701
Declaration of Conformity	1SAD101100-3411

- CE	
Declaration of Conformity	1SAD201100-3411
- UKCA	
UL Certificate	E121190-20000619

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	80 mm
Package Level 1 Depth / Length	181 mm
Package Level 1 Height	46 mm
Package Level 1 Gross Weight	0.638 kg
Package Level 1 EAN	4013614488115

External Classifications and Standards

Object Classification Code	W
ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC000215 - Phase busbar
ETIM 6	EC000215 - Phase busbar
ETIM 7	EC000215 - Phase busbar
ETIM 8	EC000215 - Phase busbar
eClass	V11.0 : 27371306
UNSPSC	39121117
IDEA Granular Category Code (IGCC)	4378 >> Phase busbar
E-Number (Finland)	3705979
E-Number (Norway)	4364005
E-Number (Sweden)	3111680

Categories

Low Voltage Products and Systems → Circuit Breakers → Manual Motor Starters  
Low Voltage Products and Systems → Control Products → Manual Motor Starters → Manual Motor Starters

