



PRODUCT-DETAILS

DRAS16-29P

DRAS16-29P Contactor Starter



General Information	
Extended Product Type	DRAS16-29P
Product ID	1SBK124035R2900
EAN	3471522143297
Catalog Description	DRAS16-29P Contactor Starter
Long Description	Enclosed D.O.L. starter with AS contactors

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85364900
Product Main Type	DRAS16

Popular Downloads	
Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	1SBC101043M6801

Dimensions	
Product Net Width	92 mm
Product Net Depth / Length	131.5 mm
Product Net Height	171.5 mm
Product Net Weight	0.65 kg

Technical	
Terminal Type	Screw Terminals

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Information	2CMT2021-006277
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006525
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations	
Declaration of Conformity - CE	1SBD250019U1000
Declaration of Conformity - UKCA	1SBD250054U1000

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	205 mm
Package Level 1 Depth / Length	140 mm
Package Level 1 Height	95 mm
Package Level 1 Gross Weight	0.65 kg
Package Level 1 EAN	3471522143297
Package Level 2 Units	80 piece
Package Level 2 Width	500 mm
Package Level 2 Depth / Length	800 mm
Package Level 2 Height	600 mm
Package Level 2 Gross Weight	52 kg

Classifications	
-----------------	--

eClass	V11.0 : 27371205
ETIM 6	EC000200 - Enclosure for control circuit devices
ETIM 7	EC000200 - Enclosure for control circuit devices
ETIM 8	EC000200 - Enclosure for control circuit devices
ETIM 9	EC000200 - Enclosure for control circuit devices
IDEA Granular Category Code (IGCC)	4476 >> Electrical general purpose enclosure
UNSPSC	39120000

Categories

Low Voltage Products and Systems → Control Products → Contactor Starters → Enclosed Starters

