

PRODUCT-DETAILS

X3 FOR PR222DS/P/PD T4..T6F >ALA.SIGN.-L X3 FOR PR222DS/P/PD T4..T6F >ALA.SIGN.-L

X3 FOR PR222DS/P/PD T4T6F >ALA.SIGNL
1SDA055059R1
8015644562090
X3 FOR PR222DS/P/PD T4T6F >ALA.SIGNL
X3 CONNECTORS FOR PR222DS/P/PD-PR222MP AND ALARM SIGNALLING "L" AND/OR DIALOGUE FOR FIXED C.BREAKER T4T6
9AKK108467A5658
9AKK108467A8326
9AKK108467A6707
9AKK108466A1425
9AKK108466A1424

KT6CX3

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering		
Order Code US and		
Canada		

EAN8015644562090Minimum Order Quantity1 pieceCustoms Tariff Number85389099

Dimensions

Product Net Weight 0.07 kg

Package Level 1 Units 1 piece Package Level 1 Width 11 mm Package Level 1 Height 6 mm Package Level 1 Depth / 13 mm Length Package Level 1 Gross Weight Package Level 1 EAN 8015644562090

Additional Information

Configuration Type	Loose or configurable
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T4, T5, T6
Suitable for Product Class	SACE Tmax T

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000436R0658

Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
Object Classification	Q
Code	

UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371390

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Circuit\ Breakers \rightarrow Moulded\ Case\ Circuit\ Breakers \rightarrow Accessories\ for\ Tmax\ T$