

PRODUCT-DETAILS

KLF-D FP T4..T6 KEY LOCK1C.BREAK.FIXED
P
KLF-D FP T4..T6 KEY LOCK1C.BREAK.FIXED
P



General Information	
Extended Product Type	KLF-D FP T4..T6 KEY LOCK1C.BREAK.FIXED P
Product ID	1SDA055230R1
EAN	8015644563936
Catalog Description	KLF-D FP T4..T6 KEY LOCK1C.BREAK.FIXED P
Long Description	KEY LOCK IN WITHDRAWN POSITION FOR WITHDRAWABLE FIXED PART FOR 1 C.BREAKER T4-T5-T6

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering		
EAN		8015644563936
Minimum Order Quantity		1 piece
Customs Tariff Number		85389099
Dimensions		
Product Net Weight		0.1 kg
Container Information		
Package Level 1 Units		1 piece
Package Level 1 Width		150 mm
Package Level 1 Height		30 mm
Package Level 1 Depth / Length		180 mm
Package Level 1 Gross Weight		0.1 kg
Package Level 1 EAN		8015644563936
Additional Information		
Configuration Type		Loose or configurable
Product Main Type		Accessories for Tmax T
Product Name		Accessory
Product Type		Accessory
Standards		IEC
Suitable For		T4, T5, T6
Suitable for Product Class		SACE Tmax T
Certificates and Declarations		
Data Sheet, Technical Information		1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker	
Instructions and Manuals		1SDH000436R0651
Classifications		
ETIM 7	EC002498 - Accessories for low-voltage switch technology	
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology	
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology	
Object Classification Code		Q
UNSPSC		39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
eClass		V11.1 : 27371390

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

