



PRODUCT-DETAILS

KLF-S FP T4..T6 KEY LOCK2C.BREAK.FIXED P

KLF-S FP T4..T6 KEY LOCK2C.BREAK.FIXED P



General Information	
Extended Product Type	KLF-S FP T4..T6 KEY LOCK2C.BREAK.FIXED P
Product ID	1SDA055231R1
EAN	8015644563943
Catalog Description	KLF-S FP T4..T6 KEY LOCK2C.BREAK.FIXED P
Long Description	KEY LOCK IN WITHDRAWN POSITION FOR WITHDRAWABLE FIXED PART BETWEEN 2 C.BREAKER T4-T5-T6

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

EAN	8015644563943
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.1 kg
--------------------	--------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	120 mm
Package Level 1 Height	30 mm
Package Level 1 Depth / Length	160 mm
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	8015644563943

Additional Information

Configuration Type	Loose or configurable
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T4, T5, T6
Suitable for Product Class	SACE Tmax T

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000436R0651

Classifications

ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

