

PRODUCT-DETAILS

RHD T6 F STAND. DIRECT

RHD T6 F STAND. DIRECT



General Information	
Extended Product Type	RHD T6 F STAND. DIRECT
Product ID	1SDA060405R1
EAN	8015644628796
Catalog Description	RHD T6 F STAND. DIRECT
Long Description	ROTARY HANDLE OPERATING MECHANISM STANDARD DIRECT WITH PADLOCK DEVICE ON C.BREAKER FIXED T6

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Ordering

Order Code US and Canada	KT6RH
E-Number (Finland)	3655659
EAN	8015644628796
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.3 kg
--------------------	--------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	160 mm
Package Level 1 Height	90 mm
Package Level 1 Depth / Length	200 mm
Package Level 1 Gross Weight	0.69 kg
Package Level 1 EAN	8015644628796

Additional Information

Configuration Type	Loose or configurable
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T6
Suitable for Product Class	SACE Tmax T

Certificates and Declarations

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000479R0611

Classifications

ETIM 7	EC000229 - Handle for power circuit breaker
ETIM 8	EC000229 - Handle for power circuit breaker
ETIM 9	EC000229 - Handle for power circuit breaker
IDEA Granular Category	3038 >> Handles or knobs

Code (IGCC)	
Object Classification	Q
Code	
UNSPSC	31162801
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370414

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

