

PRODUCT-DETAILS

# KLC T7 KEY LOCK RONIS OP.(PREDIS)

## KLC T7 KEY LOCK RONIS OP.(PREDIS)



### General Information

Extended Product Type	KLC T7 KEY LOCK RONIS OP.(PREDIS)
Product ID	1SDA062139R1
EAN	8015644646783
Catalog Description	KLC T7 KEY LOCK RONIS OP.(PREDIS)
Long Description	KEY LOCK RONIS IN OPEN (PREDISPOSITION ONLY) T7

### Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

### Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

<b>Ordering</b>	
Order Code US and Canada	KT7KLCS-RONIS
EAN	8015644646783
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

<b>Dimensions</b>	
Product Net Weight	0.1 kg

<b>Container Information</b>	
Package Level 1 Units	1 piece
Package Level 1 Width	150 mm
Package Level 1 Height	25 mm
Package Level 1 Depth / Length	200 mm
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	8015644646783

<b>Additional Information</b>	
Configuration Type	Loose or configurable
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T7
Suitable for Product Class	SACE Tmax T

<b>Certificates and Declarations</b>	
Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000529R0633

<b>Classifications</b>	
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
Object Classification Code	Q
UNSPSC	39121100
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

