

PRODUCT-DETAILS

# KLC-S T7M KEY LOCK EQ.N.20006 OP.

# KLC-S T7M KEY LOCK EQ.N.20006 OP.



## General Information

Extended Product Type	KLC-S T7M KEY LOCK EQ.N.20006 OP.
Product ID	1SDA062143R1
EAN	8015644646820
Catalog Description	KLC-S T7M KEY LOCK EQ.N.20006 OP.
Long Description	KEY LOCK EQUAL N.20006 IN OPEN BETWEEN MORE C.BREAKERS T7M

## Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

## Environmental

Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

<b>Ordering</b>	
Order Code US and Canada	KT7MKLCS-20006
EAN	8015644646820
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

<b>Dimensions</b>	
Product Net Weight	0.1 kg

<b>Container Information</b>	
Package Level 1 Units	1 piece
Package Level 1 Width	150 mm
Package Level 1 Height	20 mm
Package Level 1 Depth / Length	200 mm
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	8015644646820

<b>Additional Information</b>	
Configuration Type	Loose or configurable
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	Accessory
Standards	IEC
Suitable For	T7
Suitable for Product Class	SACE Tmax T

<b>Certificates and Declarations</b>	
Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000529R0634

<b>Classifications</b>	
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

