



PRODUCT-DETAILS

FA4/HF4.2 W FP I_u=3200 3p HR HR

FA4/HF4.2 W FP I_u=3200 3p HR HR



General Information	
Extended Product Type	FA4/HF4.2 W FP I _u =3200 3p HR HR
Product ID	1SDA080509R1
EAN	8015644870379
Catalog Description	FA4/HF4.2 W FP I _u =3200 3p HR HR
Long Description	FIXED PART WITHDRAWABLE FOR C.BREAKER FORMULA AIR FA4/HF4.2 3200 THREE-POLE WITH REAR HORIZONTAL TERMINALS

Circular Value	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
Toxic Substances Control Act - TSCA	9AKK108467A8326

Environmental	
Environmental Information	9AKK108467A6707
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

EAN	8015644870379
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Product Net Width	425 mm
Product Net Height	425 mm
Product Net Depth / Length	383 mm
Product Net Weight	50 kg

Package Level 1 Units	box 1 piece
Package Level 1 Width	570 mm
Package Level 1 Height	610 mm
Package Level 1 Depth / Length	615 mm
Package Level 1 Gross Weight	57 kg
Package Level 1 EAN	8015644870379

Current Type	AC
Number of Poles	3
Product Main Type	SACE Emax 2
Product Name	Fixed Part
Product Type	Fixed part
Rated Current (I_n)	3200 A
Rated Voltage (U_r)	690 V
Rated Impulse Withstand Voltage (U_{imp})	acc. to IEC 60947-2 12 kV
Rated Insulation Voltage (U_i)	AC 1000 V
Rated Operational Voltage	690 V AC
Rated Uninterrupted Current (I_u)	3200 A
Standards	IEC
Sub-type	FA4
Terminal Connection Type	Withdrawable Circuit-Breakers Rear flat Horizontal
Version	W FP

Data Sheet, Technical Information	1SDC200044D0201
Declaration of Conformity - CE	9AAK10103A1376
Instructions and Manuals	1SDH001600R0002

Classifications	
ETIM 7	EC002043 - Chassis part power circuit breaker
ETIM 8	EC002043 - Chassis part power circuit breaker
ETIM 9	EC002043 - Chassis part power circuit breaker
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27370422

Categories
Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Formula AIR

