KP6-40G 1/4



PRODUCT-DETAILS

KP6-40G

KP6-40G Heavy Duty Pushbutton



,360

General Information	
Extended Product Type	KP6-40G
Product ID	1SFA616105R4002
EAN	7320500200476
Catalog Description	KP6-40G Heavy Duty Pushbutton
Long Description	The KP6-40G Heavy Duty Pushbutton is: Without holder - Heavy duty rubber - Green- Non-illuminated - Black Plastic - No contact block This Heavy Duty Pushbutton is part of ABB's modular plastic range, the most versatile range with a high level of flexibility and market-leading electrical ratings. Engineered for total reliability, longer lifetime, and highest mechanical durability. Self-cleaning contacts ensure reliable operation without the need for maintenance, increasing uptime. A high degree of protection guarantees reliability in extreme environments. The innovative design simplifies the entire process, from selection to easy and quick, tool-free installation. The perfect solution for every application.

Ordering	
Minimum Order Quantity	10 piece
Customs Tariff Number	8536508090

KP6-40G 2/4

Data Sheet, Technical	
Information	1SFC151007C02_
Instructions and	1SFC151011M0201
Manuals	
Dimensions	
Product Net Width	0.043 m
Product Net Height	0.02 m
Product Net Depth /	0.043 m
Length	
Product Net Weight	0.021 kg
 Technical	
Ambient Air Temperature	Operation -25 +70 °C Storage -40 +85 °C
Color	Green
Actuator Type	Heavy duty rubber
Bezel Material	Black Plastic
Illumination	Non-illuminated
Function	Momentary
Enclosure Type NEMA	Type1
	Type3R Type4 Type4X
Mechanical Durability	2 million
 Environmental	
Degree of Protection	Front IP66 Terminals IP20
Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
<u> </u>	2CMT2022-006479
REACH Declaration	
REACH Declaration ROHS Information	2CMT2022-006498
REACH Declaration ROHS Information	2CMT2022-006498 owing EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration ROHS Information ROHS Status Foll Toxic Substances	2CMT2022-006498 owing EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CMT2023-006523
REACH Declaration ROHS Information ROHS Status Toxic Substances Control Act - TSCA	2CMT2022-006498 owing EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CMT2023-006523
REACH Declaration ROHS Information ROHS Status Foll Toxic Substances Control Act - TSCA WEEE Category	2CMT2022-006479 2CMT2022-006498 owing EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 2CMT2023-006523 Product Not in WEEE Scope

KP6-40G 3/4

Container Information	
Package Level 1 Units	bag 1 piece
Package Level 1 Width	0.1 m
Package Level 1 Depth / Length	0.1 m
Package Level 1 Height	0.02 m
Package Level 1 Gross Weight	0.021 kg
Package Level 1 EAN	7320500200476

Classifications		
Object Classification	S	
Code		
ETIM 6	EC000221 - Front element for push button	
ETIM 7	EC000221 - Front element for push button	
ETIM 8	EC000221 - Front element for push button	
eClass	V11.0 : 27371210	
UNSPSC	39122216	
IDEA Granular Category	5212 >> Push button for distribution board	
Code (IGCC)		
E-Number (Finland)	2338457	
E-Number (Sweden)	3705081	

Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Control Products} \rightarrow \textbf{Pilot Devices} \rightarrow \textbf{Modular Plastic Range}$









KP6-40G 4/4

