E202/125R 1/3



PRODUCT-DETAILS

E202/125R E202/125R Switch Disconnector



General Information	
Extended Product Type	E202/125R
Product ID	2CDE282001R0125
EAN	4016779645966
Catalog Description	E202/125R Switch Disconnector
Long Description	These devices are suitable for commanding loads and they are realized according EN 60947-3 and EN 60669-1 respectively. Fast removal without dismantling of the busbar. Captive screws with recessed/slotted head. Pozidrive size 2. Add-on of up to 3 auxiliary contact S2C-H6R possible Integrated lay-on edge for labeling system ILS. Locking device as accessories for unauthorized ON/OFF. Approval: VDE, CCC, KEMA

Technical	
Standards	IEC/EN 60947-3
Rated Voltage (U _r)	400 V 12 V Minimum
Rated Operational Voltage	230 / 400 V AC
Input Voltage Type	AC
Rated Current (I _n)	125 A
Rated Conditional Short- Circuit Current (I _{nc})	6 kA
Power Loss	at Rated Operating Conditions per Pole 6.1 W

E202/125R 2/3

Popular Downloads	
Instructions and Manuals 2CSC4000	002D0208
Installation	
<u>-CE</u>	
Declaration of Conformity 2CDK4410	IEC 011D0403
Certification Agency	EN
Certificates and Declarations	
Weight	
Package Level 1 Units carte Package Level 1 Gross	on 5 piece 0.995 kg
Ordering Posters I would their	
Built-In Depth (t ₂)	70 mm
Product Net Weight	0.19 kg
Product Net Depth / Length	69 mm
Product Net Height	85 mn
Product Net Width	35 mn
Width in Number of Modular Spacings	2
Dimensions	
Degree of Protection	IP10
Environmental	
(CMRT)	
Conflict Minerals 9AKK108-Reporting Template	468A3363
REACH Information False - does not contains substances > 0.1 mass p	
REACH Declaration 9AKK108-	2011070 4684964
RoHS Status Following EU Directive 20	
RoHS Information 2CDK440	
Material Compliance	
Cover Color	Gre
Driver Accessories Available	Ye
Recommended Screw	Pozidriv
Number of Poles Switch Type	0
Number of Contacts NO	
Number of Contacts NC	
Number of Contacts CO	

E202/125R 3/3

Data Sheet, Technical 2CSC400002D0209 Information

Classifications	
ETIM 8	EC001545 - Main switch for distribution board
ETIM 9	EC001545 - Main switch for distribution board
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11 0 · 27142301

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Command\ and\ Signalling\ Devices\ \rightarrow\ Switch\ Disconnectors$









360°