

PRODUCT-DETAILS

# S2C-H6R

## S2C-H6R Auxiliary Contact



| General Information   |  |
|-----------------------|--|
| Extended Product Type | S2C-H6R  |
| Product ID            | 2CDS200912R0001  |
| EAN                   | 4016779563826  |
| Catalog Description   | S2C-H6R Auxiliary Contact  |
| Long Description      | Indication of the position of the device's contacts. Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. To be mounted on the right side of the MCBs. |

| Technical    |   |
|--------------|---|
| Standards    | CSA Class 3215-30<br>CSA Class 3215-90<br>GB/T 14048.5<br>IEC/EN 60947-5-1<br>UL 1077 |
| Function     | Auxiliary Contact   |
| Suitable For | S200<br>S200M<br>S200P<br>S200S<br>S300P  |

|   |   |
|---|---|
|   | SN201L+SN201-IH<br>SN201+SN201-IH<br>SN201M+SN201-IH<br>F200<br>DS201<br>DS202C<br>DS200<br>S-ARC1<br>DS-ARC1 |
| Suitable for Product Class                | Miniature Circuit Breaker<br>Residual Current Device  |
| Power Loss                                | 0.5 W<br>Maximum 0.5 W  |
| Number of Auxiliary<br>Contacts NC        | 0   |
| Number of Auxiliary<br>Contacts NO        | 0   |
| Number of Auxiliary<br>Contacts CO (SPDT) | 1   |
| Accessory Type                            | Auxiliary Contact   |
| Mounting Position                         | right   |
| Technical Information                     | AUXILIARYCONTACT  |

Material Compliance

|   |  |
|---|--|
| RoHS Information                                  | 9AKK108468A4564  |
| RoHS Status                                       | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date   | 20230731   |
| REACH Declaration                                 | 9AKK108468A9644  |
| REACH Information                                 | False - does not contains substances > 0.1 mass percentage             |
| Conflict Minerals<br>Reporting Template<br>(CMRT) | 9AKK108468A3363  |
| SCIP  | c151f68f-6fbb-44f7-badf-ba96efd56de4 Germany (DE)                      |

Environmental

|                           |                 |
|---------------------------|-----------------|
| Environmental Information | 2CDK400571D0201 |
|---------------------------|-----------------|

Dimensions

|                               |          |
|-------------------------------|----------|
| Product Net Width             | 8.8 mm   |
| Product Net Height            | 85 mm    |
| Product Net Depth /<br>Length | 69 mm    |
| Product Net Weight            | 0.043 kg |

Ordering

|                       |                 |
|-----------------------|-----------------|
| Package Level 1 Units | blister 1 piece |
|-----------------------|-----------------|

|                              |          |
|------------------------------|----------|
| Package Level 1 Gross Weight | 0.045 kg |
| E-Number (Finland)           | 3210836  |
| E-Number (Sweden)            | 2102500  |

Certificates and Declarations

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 9AKK108468A4564 |
|--------------------------------|-----------------|

Installation

|                          |                 |
|--------------------------|-----------------|
| Instructions and Manuals | GHS2007061P0018 |
|--------------------------|-----------------|

Popular Downloads

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A8017 |
|-----------------------------------|-----------------|

Classifications

|                                    |  |
|------------------------------------|--|
| ETIM 8                             | EC001286 - Auxiliary device for distribution board devices |
| ETIM 9                             | EC001286 - Auxiliary device for distribution board devices |
| WEEE Category                      | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B                     | Business To Business                                       |
| CN8                                | 8536 50 80   |
| UNSPSC                             | 39121522   |
| eClass                             | V11.0 : 27143502   |
| IDEA Granular Category Code (IGCC) | 4743 >> Auxiliary contact block                            |
| Object Classification Code         | Q  |

Where Used (as a spare part for "Products")

| Identifier   | Description              | Quantity | Unit Of Measure |
|--------------|--------------------------|----------|-----------------|
| 9AAC30403877 | No Description Available | 1        | piece           |
| 9AAC30404896 | No Description Available | 1        | piece           |
| 9AAF626992   | No Description Available | 1        | piece           |

Product specific part data

| Product      | Category                        | Switchgear Part Category |
|--------------|---------------------------------|--------------------------|
| 9AAC30403877 | SafeRing 36-40,5kV              | Auxiliary Contacts       |
| 9AAC30404896 | SafePlus 36-40,5kV              | Auxiliary Contacts       |
| 9AAF626992   | All Spare Parts (Relays-SWG-CB) | Auxiliary Contacts       |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → ABB VY → Busbars and Accessories ABB VY → Accessories ABB VY

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs Accessories

Medium Voltage Products and Systems → Service → Spares and Consumables → Parts → All Spare Parts (Relays-SWG-CB)

Medium Voltage Products and Systems → Switchgear and Motor Control → Gas Insulated Secondary Switchgear (SF6) → SafePlus → SafePlus 36-40,5kV

Medium Voltage Products and Systems → Switchgear and Motor Control → Gas Insulated Secondary Switchgear (SF6) → SafeRing → SafeRing 36-40,5kV

