




PRODUCT-DETAILS

SH804-C100

High Performance MCB



General Information

Extended Product Type	SH804-C100
Product ID	2TAZ190400R0824
EAN	6941593452040
Catalog Description	High Performance MCB
Long Description	The SH800 series offers overload, short circuit and undervoltage protection for lines and power equipments. Suitable for industrial applications, the SH800 is manufactured according to international IEC standards, compliant to IEC 60947-2 up to 10kA. It is available in 80, 100, 125A versions and B, C, D, K tripping characteristics.

Technical

Power Loss	16 W
------------	------

Material Compliance

RoHS Information	9AKK108466A8990
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20220512
Conflict Minerals	9AKK108468A3363

Reporting Template
(CMRT)

Dimensions

Product Net Width	108.0 mm
Product Net Height	89.5 mm
Product Net Depth / Length	77.5 mm
Product Net Weight	0.768 kg

Ordering

Package Level 1 Units	box 3 piece
Package Level 1 Gross Weight	2.37 kg

Certificates and Declarations

Declaration of Conformity - CE	9AKK108466A8990
--------------------------------	-----------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Classifications

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs → High Performance Circuit Breakers HPCBs

