



NEMA Motor Starter, Type S, replacement coil, 110/120VAC 50/60Hz, NEMA Size 00, 0 and 1 starters and 8903SM lighting

3104140042

Product availability: Stock - Normally stocked in distribution facility

Price\*: 98.00 USD

### Main

| Product or Component Type             | Coil  |  |
|---------------------------------------|---|--|
| Accessory / separate part destination | Class 8502 type SA (series A)/SB/SC contactor Class 8536 type SA (series A)/SB/SC starter Class 8903 type SM lighting contactor |  |

### Complementary

| NEMA size                      | 1                     |  |
|--------------------------------|-----------------------|--|
|                                | 00                    |  |
|                                | 0                     |  |
|                                |                       |  |
| [Ue] rated operational voltage | 120 V AC 60 Hz        |  |
|                                | 110 V AC 50 Hz        |  |
| -                              |                       |  |
| inrush power in VA             | 245 VA                |  |
|                                | 232 VA                |  |
|                                | ·                     |  |
| Average consumption            | 27 VA                 |  |
|                                | 26 VA                 |  |
|                                |                       |  |
| Height                         | 2.2 in (54.7 mm)      |  |
|                                | 2.2 (0)               |  |
| Width                          | 3.2 in (81.5 mm)      |  |
|                                | 0.2 iii (01.3 iiiiii) |  |
| Depth                          | 1.9 in (48.3 mm)      |  |
| Dopui                          | 1.3 111 (40.3 11111)  |  |

# Ordering and shipping details

| Category          | US1CP1018079 |
|-------------------|--------------|
| Discount Schedule | CP10         |
| GTIN              | 785901229124 |
| Returnability     | Yes          |
| Country of origin | MX           |

# **Packing Units**

| Unit Type of Package 1       | PCE                  |
|------------------------------|----------------------|
| Number of Units in Package 1 | 1                    |
| Package 1 Height             | 2.10 in (5.334 cm)   |
| Package 1 Width              | 2.80 in (7.112 cm)   |
| Package 1 Length             | 3.40 in (8.636 cm)   |
| Package 1 Weight             | 7.360 oz (208.652 g) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# **Contractual warranty**

Warranty

18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### **Use Better**

| Packaging made with recycled cardboard | No  |
|--|---|
| Packaging without single use plastic   | No  |
| EU RoHS Directive                      | Not applicable, out of EU<br>RoHS legal scope |

# **Use Again**

| ○ Repack and remanufacture |  |
|----------------------------|--|
| Circularity Profile        | No need of specific recycling operations |
| Take-back                  | No                                       |