# **Product datasheet**

Specifications



# adjustable time delay relay for voltage release MN, 100-130 VAC 50/60 Hz, 100-130 VDC

33681

#### Main

Device short name	MN delay unit Time delay relay	
Product or component type		
Device application	Control	
Range compatibility	Masterpact MasterPact NT	
	Masterpact MasterPact NW	
	ComPact ComPact NSX	
	ComPact ComPact NS630b1600	
	ComPact ComPact NS1600b3200	
	PowerPact PowerPact Multistandard	
	ComPact ComPact NSXm	
	ComPact ComPact NSX DC	
	Masterpact MasterPact NW UL 489	
	Masterpact MasterPact NT UL 489	
	Masterpact MasterPact NW DC	
Voltage release type	Undervoltage release	
[Uc] control circuit voltage	100130 V AC 50/60 Hz	
	100130 V DC	

# Complementary

Impulse duration	200 ms
time delay range	0.53 s
Threshold tripping voltage	0.350.7 Un open 0.85 Un close
Supply holding power	4.5 VA
Supply inrush power	200 VA
Mounting mode	External mounting
Response time	0.5 s 1 s
	1.5 s
	3 s
Accessory / separate part category	Spare part for Compact NS630b1600
	Spare part for Compact NS1600b3200

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.5 cm
Package 1 Width	8.0 cm
Package 1 Length	9.0 cm

Package 1 Weight	192.0 g
Unit Type of Package 2	S03
Number of Units in Package 2	36
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	7.31 kg

## **Contractual warranty**

Warranty

18 months

#### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Sustainable Packaging Transparency

#### **Resource performance**

Sustainable Packaging

3

#### Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Pvc Free	
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information