



bus connectors broadened front mounted; 3 units extended pole-center distance for India

| Model | | |
|---|--|-------------------|
| product brand name | SETRON | |
| product designation | Front bus connectors broadened 3 units | |
| accessories | Bus connector offset | |
| General technical data | | |
| designation / of the terminal | screw-type termination | |
| Connections according IEC | | |
| connectable conductor cross-section | | |
| • for copper cable / stranded / minimum | 120 mm² | |
| • for copper cable / stranded / maximum | 370 mm² | |
| type of connectable conductor cross-sections / of the laminated conductor rails | | |
| • minimum | 1 x 60mm x 5mm | |
| • maximum | 1x60x12.5 | |
| tightening torque / when using copper cables | | |
| • stranded | 30 | |
| thickness / of the busbar | | |
| • minimum | 5 ... 12.5 | |
| • maximum | | |
| width / of the busbar / maximum | 60 mm | |
| Certificates | | |
| General Product Approval | EMV | Test Certificates |



[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

| Marine / Shipping | other | Environment | | |
|---|-------------------------------|------------------------------|-------------------------------|---|
|  | Miscellaneous | Confirmation | Miscellaneous | Environmental Confirmations |
| LRS | | | | |

| Further information |
|---|
| Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875 Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) |

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9483-0QC50>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9483-0QC50>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9483-0QC50

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/5/2024 

