


accessories circuit breaker 3WL aux.switch block 2NO +2NC



Model	
product brand name	SENTRON
product designation	Auxiliary contacts for switch position
design of the product	Accessories
General technical data	
degree of pollution	3
Voltage	
surge voltage resistance rated value	4 kV
Supply voltage	
operating voltage	
• at AC at 50 Hz rated value maximum	500 V
• at DC rated value maximum	500 V
Approvals Certificates	
General Product Approval	Test Certificates



other	Environment
Confirmation	Confirmation
Miscellaneous	Confirmation
	Confirmation

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WL9111-0AG01-0AA0
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3WL9111-0AG01-0AA0
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WL9111-0AG01-0AA0
CAX-Online-Generator http://www.siemens.com/cax
Tender specifications http://www.siemens.com/specifications

