

Miniature circuit-breaker 220 V DC DC 10 kA 2-pole C 3

Model			
product brand name		SENTRON	
product designation		Miniature circuit breaker	
General technical data			
number of poles		2	
design of pole		2P	
mechanical service life (operating cycles)		8 500	
• typical			
Voltage			
type of voltage of the operating voltage		DC	
Approvals Certificates			
General Product Approval		Test Certificates	other
			Dangerous Good

Dangerous Good

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

[Miscellaneous](#)

[Transport Information](#)


Environment

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

Further information

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>  
Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>  
Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SL5203-7RC>  
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/5SL5203-7RC>  
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5SL5203-7RC](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SL5203-7RC)  
CAx-Online-Generator  
<http://www.siemens.com/cax>  
Tender specifications  
<http://www.siemens.com/specifications>



last modified:

4/5/2024 

