



auxiliary switch can be attached for residual current operated circuit breaker for 100+125 A, 1 NO+1 NC

Model		
product brand name		SENTRON
product designation		auxiliary switches
design of the product		Mountable
design of the product factory mounted		No
Supply voltage		
operating voltage		230 V
• rated value		
Breaking Capacity		
switching capacity current rated value		5 A
Control current		
type of voltage of control voltage		AC/DC
Product details		
number of fault signal contacts		0
number of NC contacts		1
number of NO contacts		1
number of CO contacts		0
product extension can be mounted		residual current operated circuit breaker
product extension		Auxiliary current switch
Mechanical Design		
height		87 mm
width		9 mm
depth		60 mm
number of modular width units		1
net weight		61 g
Approvals Certificates		
General Product Approval	other	Environment



[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SW3330
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)



