

SIMBOX Universal WP cable entry cover, 18 MW



| Model                              |  |                   |       |
|------------------------------------|--|-------------------|-------|
| product brand name                 |  | ALPHA             |       |
| product designation                |  | SIMBOX            |       |
| Protection class                   |  |                   |       |
| protection class IP                |  | others            |       |
| product feature quick-release lock |  | No                |       |
| product component                  |  | No                |       |
| • hinge                            |  |                   |       |
| • transparent cover                |  |                   |       |
| Mechanical Design                  |  |                   |       |
| net weight                         |  | 0.2 kg            |       |
| material                           |  | plastic           |       |
| Approvals Certificates             |  |                   |       |
| General Product Approval           |  | Test Certificates | other |



[Confirmation](#)



[Special Test Certificate](#)

[Confirmation](#)

[Miscellaneous](#)

### Environment

[Environmental Confirmations](#)

### Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GB2051-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GB2051-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GB2051-1](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GB2051-1)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



