

# Product datasheet

Specifications



## padlocking device - 18 mm

A9A26970

### Main

|                                   |                   |
|-----------------------------------|-------------------|
| range of product                  | Acti9             |
| Product or component type         | Padlocking device |
| Accessory / separate part categor | Locking accessory |
| Quantity per set                  | Set of 10         |

### Complementary

|                             |  |
|-----------------------------|--|
| Keylock destination         | Toggle   |
| Locking options description | Sealable<br>Keylock in OFF or ON position  |
| Padlock diameter            | 3...6 mm   |
| Range compatibility         | Acti 9 - Acti9 iC60<br>Acti 9 - Acti9 iID<br>Acti 9 - Acti9 iSW<br>Acti 9 - Vigi iC60 -<br>Acti 9 - Acti9 iID K<br>Acti 9 - Acti9 iDPN Vigi<br>Acti 9 - Acti9 Reflex iC60<br>Acti 9 - Acti9 iC60 RCA iC60 -<br>Acti 9 - Acti9 iC60 ARA iC60 -<br>Acti 9 - Acti9 iSW-NA<br>Acti 9 - Acti9 iK60 iK60N -<br>Acti 9 - Acti9 iC40<br>Acti9 - Acti9 iDPN H VigiARC<br>Acti9 - Acti9 iDPN N VigiARC |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 2.000 cm  |
| Package 1 Width              | 11.500 cm |
| Package 1 Length             | 18.000 cm |
| Package 1 Weight             | 42.000 g  |
| Unit Type of Package 2       | S02       |
| Number of Units in Package 2 | 60        |
| Package 2 Height             | 15.000 cm |
| Package 2 Width              | 30.000 cm |
| Package 2 Length             | 40.000 cm |
| Package 2 Weight             | 2.880 kg  |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

# Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Sustainable Packaging

## Resource performance

✔ Sustainable Packaging

## Well-being performance

✔ Reach Free Of Svhc

✔ Toxic Heavy Metal Free

✔ Mercury Free

✔ Rohs Exemption Information Yes

✔ Halogen Free Product

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant  
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)  
Pro-active China RoHS declaration (out of China RoHS legal scope)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins