

Product datasheet

Specifications



Opale Neon phase green indicator with MMR sign

AAKX6003

⚠ Discontinued on: 30-Jun-2023

⚠ To be discontinued

Main

Range	Opale
device presentation	Mechanism with central plate
Product or component type	Indicator lamp
Device application	Signalling

Complementary

Device mounting	Flush
Surface finish	Satin
Fixing mode	By captive screws
Light block colour	Green
Height	48 mm
Width	21 mm
Depth	35.8 mm
Material	PC: front cover PA6: base cover

Environment

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.2 cm
Package 1 Width	2.1 cm
Package 1 Length	3.3 cm
Package 1 Weight	15 g
Unit Type of Package 2	BB1
Number of Units in Package 2	240
Package 2 Height	250 cm
Package 2 Width	265 cm
Package 2 Length	335 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	3605 g
------------------	--------

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations