


Product datasheet

Specifications



Opale cover frame 12 module with fixing frame 12 module CG

AAKY0812

! Discontinued on: 30-Jun-2023

! To be discontinued

Main

Range	Opale
Product or component type	Cover frame with fixing frame
Colour tint	Coke grey
Material	ABS + PC: front cover ABS (acrylonitrile butadiene-styrene): base cover

Complementary

Device mounting	Flush
Number of modules	12 modules
Range compatibility	Opale switch and socket-outlet
Surface finish	Satin
Height	223.8 mm
Width	147 mm
Depth	13 mm

Environment

IP degree of protection	IP20
Environmental characteristic	Indoor use
Ambient air temperature for storage	-5...35 °C
Relative humidity	10...95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.3 cm
Package 1 Width	22.3 cm
Package 1 Length	1.3 cm
Package 1 Weight	123 g
Unit Type of Package 2	BB1
Number of Units in Package 2	30
Package 2 Height	250 cm

Package 2 Width	265 cm
Package 2 Length	335 cm
Package 2 Weight	3695 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations