



# Opale bell press switch 2 module 6A white with indicator

AAKY1086

! Discontinued on: 03-Jul-2023

(!) Discontinued

#### Main

Range	Opale	
Product or component type	Switch with indicator lamp	
Device application	Control	
device presentation	Mechanism with central plate	
Light source	Covered LED, red	

## Complementary

Device mounting	Flush	
Number of modules	2 modules	
Actuator	Rocker	
Switch function	1-way	
Rated current	6 A	
Lamp function	Indicator	
Material	Plastic	
Fixing mode	By captive screws	
Connections - terminals	Shrouded terminals	
Height	48 mm	
Width	42 mm	
Depth	35.6 mm	

### **Environment**

Standards	IS 3854:1997/A1
IP degree of protection	IP20
Ambient air temperature for operation	-535 °C
Relative humidity	1095 %

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.1 cm
Package 1 Width	4.3 cm

Package 1 Length	3.3 cm
Package 1 Weight	17 g
Unit Type of Package 2	BB1
Number of Units in Package 2	120
Package 2 Height	250 cm
Package 2 Width	265 cm
Package 2 Length	335 cm
Package 2 Weight	2045 g



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>Ø</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations