Product datasheet

Specifications

Green Premium™

Opale switch 2-way 16A-CG

AAKY1102

Discontinued on: 30-Jun-2023

To be discontinued

Main

Range	Opale
Product or component type	Switch
Device application	Control
device presentation	Mechanism
Colour tint	Coke grey

Complementary

Technology type	Electromechanical
Device mounting	Flush
Number of modules	2 modules
Actuator	Rocker
Switch function	2-way
Rated current	16 A
[Ue] rated operational voltage	240 V
Network type	AC
Network frequency	50 Hz
Fixing mode	By captive screws
Connections - terminals	Shrouded terminals
Material	PC: front cover PA6: base cover
Height	48 mm
Width	21 mm
Depth	35.4 mm

Environment

Standards	IS 3854:1997/A1
IP degree of protection	IP20
Ambient air temperature for operation	-5…35 °C
Relative humidity	10…95 %
Environmental characteristic	Indoor use

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.2 cm
Package 1 Width	2.1 cm
Package 1 Length	3.3 cm
Package 1 Weight	15 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	5 cm
Package 2 Width	10 cm
Package 2 Length	12 cm
Package 2 Weight	248.2 g
Unit Type of Package 3	CAR
Number of Units in Package 3	20
Package 3 Height	6.3 cm
Package 3 Width	10.8 cm
Package 3 Length	23.3 cm
Package 3 Weight	305 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations