

Product data sheet

Specifications



Mini circuit breaker, Homeline
Canadian, 20A, 1 pole,
120/240VAC, 10kA AIR, standard
type, plug in, UL

CHOM120

Main

Range of product	Homeline
Product or component type	Miniature circuit-breaker
[In] rated current	20 A
[Ue] rated operational voltage	120/240 V AC
Mounting mode	Plug-on
Poles description	1P
Short-circuit current	10 kA
Circuit breaker type	Standard
Circuit breaker application	HACR and Switching Duty rated
Electrical connection	Screw clamp terminals

Complementary

Number of spaces required	1
AWG gauge	AWG 14...AWG 8 aluminum/copper

Environment

Product certifications	CSA
Ambient air temperature for operation	104 °F (40 °C)

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.00 in (7.62 cm)
Package 1 Width	1.00 in (2.54 cm)
Package 1 Length	3.00 in (7.62 cm)
Package 1 Weight	4.480 oz (127.006 g)
Unit Type of Package 2	PAL
Number of Units in Package 2	5100
Package 2 Height	40.00 in (101.6 cm)
Package 2 Width	36.00 in (91.44 cm)
Package 2 Length	48.00 in (121.92 cm)
Package 2 Weight	1429.284 lb(US) (648.312 kg)

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	22
---	----

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
---	----

Packaging without single use plastic	Yes
---	-----

EU RoHS Directive	Compliant
-----------------------------------	-----------

China RoHS Regulation	China RoHS declaration
-----------------------	--


Use Again

Repack and remanufacture

Take-back	No
-----------	----

Technical Illustration

Dimensions



All dimensions are approximate. Also refer to technical drawings and documentation.

Image of product / Alternate images

Alternative

Homeline™
CHOM120
20A
120/240 VAC ~ 50/60Hz
10,000 AIR/A nom.I

 **1 Pole**
Pôle

 **Plug-On**
Enfichable

