Product datasheet

Specifications





Clipsal X socket-outlet 3P with shutter 6A/16 A white

CPX616SK_WE

Main

Range	Clipsal
Device Application	Connection
Product Or Component Type	Socket-outlet
Socket Additional Information	Shuttered
Outlet Poles Configuration	3P with shutters India 3P with shutters
Colour Tint	White
Rated Current	6/16 A
Colour Tint	White

Complementary

· · · · · · · · · · · · · · · · · ·	
Device Presentation	Mechanism
Device Mounting	Flush
Rated Current	6/16 A at 250 V AC 50/60 Hz 16 A at 250 V AC 5060 Hz
Number Of Modules	2
Material	PC (polycarbonate)
[Ue] Rated Operational Voltage	250 V
Connections - Terminals	Shrouded terminals
Network Type	AC
Network Frequency	50/60 Hz
Width	42 mm
Height	51 mm
Material	PC: front cover PA (polyamide) 6: base cover
Depth	30 mm
Resistance To Chemical Agents	Not resistant to alcohols Not resistant to cleaning agent Not resistant to thinner

Environment

Ambient Air Temperature For Operation	-535 °C
Ambient Air Temperature For Storage	-535 °C
Relative Humidity	095 %

Environmental Characteristic	Flame retardant
Standards	IS 1293:2005
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.18 cm
Package 1 Width	5.08 cm
Package 1 Length	6.35 cm
Package 1 Weight	25 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	5.5 cm
Package 2 Width	10 cm
Package 2 Length	16 cm
Package 2 Weight	391 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	320
Package 3 Height	21 cm
Package 3 Width	33.5 cm
Package 3 Length	44 cm
Package 3 Weight	10.69 kg

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations