

# Product datasheet

Specifications



## Clipsal X universal socket-outlet with shutters 6A white

CPX6USK3P\_WE

 To be discontinued on: 15-Aug-2024

 To be discontinued

### Main

Range	Clipsal
Device Application	Connection
Product Or Component Type	Socket-outlet
Socket Additional Information	Shuttered
Outlet Poles Configuration	3P with shutters
Colour Tint	White
Rated Current	6 A
Colour Tint	White

### Complementary

Device Presentation	Mechanism
Device Mounting	Flush
Rated Current	6 A at 250 V AC 50/60 Hz
Number Of Modules	2
Material	PC (polycarbonate)
[Ue] Rated Operational Voltage	250 V
Connections - Terminals	Shrouded terminals
Network Type	AC
Network Frequency	50/60 Hz
Width	42 mm
Height	51 mm
Material	PC: front cover PA (polyamide) 6: base cover
Depth	28.5 mm
Resistance To Chemical Agents	Not resistant to alcohols Not resistant to cleaning agent Not resistant to thinner

### Environment

Ambient Air Temperature For Operation	-5...35 °C
Ambient Air Temperature For Storage	-5...35 °C
Relative Humidity	0...95 %

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Characteristic	Flame retardant
Standards	IS 1293:2005
Ip Degree Of Protection	IP20

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3 cm
Package 1 Width	5.1 cm
Package 1 Length	4.2 cm
Package 1 Weight	34 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	5 cm
Package 2 Width	10 cm
Package 2 Length	16 cm
Package 2 Weight	401 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	320
Package 3 Height	21 cm
Package 3 Width	33.5 cm
Package 3 Length	44 cm
Package 3 Weight	11.01 kg

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.


[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

 Toxic Heavy Metal Free

 Mercury Free

 Rohs Exemption Information [Yes](#)

<b>Eu Rohs Directive</b>	Compliant
	<a href="#">EU RoHS Declaration</a>

<b>China Rohs Regulation</b>	<a href="#">China RoHS declaration</a>
	Pro-active China RoHS declaration (out of China RoHS legal scope)