Product datasheet

Specifications



Clipsal X cover frame with fixing frame 3 modules white

CPXCP3M_WE

Main

Range Of Product	Clipsal X
Range	Clipsal
Product Or Component Type	Cover frame
Accessory / Separate Part Categor	Electrical accessory
Device Presentation	With fixing frame
Colour Tint	White
Colour Tint	White
Type Of Packing	Group

Complementary

Range Compatibility	Clipsal cover frame
Wiring Device Mounting	Flush
Number Of Modules	3
Material	Bayblend FR3010 + PC: front cover ABS (acrylonitrile butadiene-styrene): base cover
Surface Finish	Satin
Depth	13.2 mm
Width	120.9 mm
Height	90 mm
Resistance To Chemical Agents	Not resistant to alcohols Not resistant to cleaning agent Not resistant to thinner

Environment

Ambient Air Temperature For Storage	-5…35 °C
Ambient Air Temperature For Operation	-5…35 °C
Relative Humidity	0…95 %
Environmental Characteristic	Indoor use

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.27 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	8.89 cm
Package 1 Length	11.05 cm
Package 1 Weight	45 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	7 cm
Package 2 Width	6 cm
Package 2 Length	23.5 cm
Package 2 Weight	550 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	120
Package 3 Height	24.5 cm
Package 3 Width	26 cm
Package 3 Length	33 cm
Package 3 Weight	6.13 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations