





CPXCP8ML\_WE

### Main

Range Of Product	Clipsal X	
Range	Clipsal	
Product Or Component Type	Cover frame	
Accessory / Separate Part Categor	Electrical accessory	
Device Presentation	With fixing frame	
Colour Tint	White	
Colour Tint	White	
Type Of Packing	Group	

# Complementary

Range Compatibility	Clipsal cover frame	
Wiring Device Mounting	Flush	
Number Of Modules	8	
Number Of Gangs	4 gangs	
Material	Bayblend FR3010: front cover ABS (acrylonitrile butadiene-styrene): base cover	
Surface Finish	Satin	
Depth	13.2 mm	
Width	224.8 mm	
Height	90 mm	
Resistance To Chemical Agents	Not resistant to alcohols Not resistant to cleaning agent Not resistant to thinner	

#### **Environment**

Ambient Air Temperature For Storage	-535 °C
Ambient Air Temperature For Operation	-535 °C
Relative Humidity	095 %
Environmental Characteristic	Indooruse

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	2.54 cm
Package 1 Width	8.89 cm
Package 1 Length	25.4 cm
Package 1 Weight	95 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	6.5 cm
Package 2 Width	10 cm
Package 2 Length	12.5 cm
Package 2 Weight	485 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	80
Package 3 Height	27 cm
Package 3 Width	27 cm
Package 3 Length	31 cm
Package 3 Weight	7.09 kg



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>②</b>	Reach Free Of Svhc	
<b>②</b>	Toxic Heavy Metal Free	
<b>②</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations