Product datasheet

Specifications





AvatarOn-Cover plate for switched socket, 6/16A, White

E8315C_16_WE

Discontinued on: 15-Aug-2024

! Discontinued

Main

Product or component type	Cover plate
Accessory / separate part category	Mounting accessory
Colour tint	White painted
Type of packing	Flow-pack
Outlet poles configuration	3P
Outlet standard deviation	British BS 546
Main colour tint	White

Complementary

Colour tint	White
Range compatibility	AvatarOn switched socket
Product destination	Switched socket
Socket number	1
Number of rocker	1
[In] rated current	16 A
Material	PC (polycarbonate)
Surface finish	Glossy
Surface treatment	Untreated
Height	86 mm
Width	86 mm
Depth	21 mm

Environment

Ambient air temperature for storage	-545 °C
Ambient air temperature for operation	095 °C
Standards	BS 5733 IFC 60670

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	1.4 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	24 g
Unit Type of Package 2	BB1
Number of Units in Package 2	72
Package 2 Height	210 cm
Package 2 Width	299 cm
Package 2 Length	395 cm
Package 2 Weight	2.19 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Mercury Free

Rohs Exemption Information

Yes

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations