# **Product datasheet**

Specifications





# AvatarOn, data socket, RJ45, cat5e, shuttered, Wine Gold

E8331RJS5\_WG

#### Main

| Product or component type      | Data socket   |
|--------------------------------|---------------|
| Device application             | Communication |
| Socket additional information  | Shuttered     |
| Communication network category | Data: 5e      |
| Number of gangs                | 1 gang        |
| Colour tint                    | Wine gold     |
| Main colour tint               | Wine gold     |

# Complementary

| device presentation     | Complete product  |
|-------------------------|---|
| Device mounting         | Flush<br>Surface  |
| Data socket type        | RJ45  |
| Rated current           | 1.5 A   |
| Material                | Polycarbonate: plastic part                               |
| Contacts material       | Housing: PC<br>Contact: phosphor bronze with gold plating |
| Contact resistance      | 1 µOhm  |
| Insulation resistance   | >= 200 MOhm   |
| Minimum return loss     | 23 dB   |
| Colour tint             | Wine gold   |
| IP degree of protection | IP20  |
| Width                   | 86 mm   |
| Height                  | 86 mm   |
| Depth                   | 31 mm   |

## Environment

| Dielectric strength                           | 1000 V for 60 s at 60 Hz             |
|---|--------------------------------------|
| AWG gauge                                     | AWG 26AWG 22 (4 twisted pair cables) |
| Environmental characteristic                  | No UV resistant                      |
| Maximum ambient air temperature for operation | 35 °C                                |
| Relative humidity                             | 095 %                                |

## **Packing Units**

| Unit Type of Package 1       | PCE     |
|------------------------------|---------|
| Number of Units in Package 1 | 1       |
| Package 1 Height             | 4.1 cm  |
| Package 1 Width              | 8.6 cm  |
| Package 1 Length             | 8.6 cm  |
| Package 1 Weight             | 59.0 g  |
| Unit Type of Package 2       | CAR     |
| Number of Units in Package 2 | 10      |
| Package 2 Height             | 9.5 cm  |
| Package 2 Width              | 19.0 cm |
| Package 2 Length             | 19.5 cm |
| Package 2 Weight             | 642.0 g |

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >




Lower Impact Materials Transparency RoHS/REACh

#### **Resource performance**

Minimum Percentage Of Recycled 78 Plastic Content

#### Well-being performance



Rohs Exemption Information

#### **Certifications & Standards**

| Reach Regulation         | REACh Declaration   |
|--------------------------|---|
| Eu Rohs Directive        | Compliant with Exemptions   |
| China Rohs Regulation    | China RoHS declaration<br>Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile   |
| Circularity Profile      | No need of specific recycling operations  |

Yes