



# AvatarOn, fused connection, 25A, 250V, Wine gold

E8331TB\_WG

#### Main

Range	AvatarOn
Device application	Connection unit
Product or component type	Connection unit
Quantity per set	Set of 1
Product brand	Schneider Electric

## Complementary

device presentation	Complete product
Colour tint	Wine gold
Number of gangs	1 gang
Surface finish	Painted
Material	PC (polycarbonate)
mounting support	Wall mounted
Fixing mode	By screws
Rated current	25 A at 250 V AC 5060 Hz
Connections - terminals	Pillar terminals
Height	86 mm
Width	86 mm
Depth	38 mm
IP degree of protection	IP20

#### **Environment**

Standards BS 5733

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.7 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	162.0 g

## **Contractual warranty**

Warranty

18 Months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Sustainable Packaging Transparency RoHS/REACh

#### Resource performance



Sustainable Packaging

#### Well-being performance

Reach Free Of Svhc





Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations