# **Product datasheet**

Specifications





# AvatarOn, TV socket, , 75 Ohm, Wood

E8331TV\_WD

#### Main

Product or component type	TV socket
Device application	Communication
TV socket type	TV
Number of gangs	1 gang
Colour tint	Wood

### Complementary

device presentation	Complete product
Device mounting	Surface Flush
Average impedance	75 Ohm
Material	Polycarbonate: surround Polycarbonate: grid plate
Bandwidth	5860 Hz
Colour tint	Wood
IP degree of protection	IP20
Width	86 mm
Height	86 mm
Depth	26 mm

#### **Environment**

Ambient air temperature for operation	-545 °C
Relative humidity	095 %
Standards	BS 5733 IFC 60670

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.6 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	58 g

Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19 cm
Package 2 Length	19.5 cm
Package 2 Weight	630 g
Unit Type of Package 3	CAR
Number of Units in Package 3	60
Package 3 Height	21 cm
Package 3 Width	30 cm
Package 3 Length	39.5 cm
Package 3 Weight	4.28 kg



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations