

Product datasheet

Specifications



USB charger, AvatarOn type A + C, 2.1...3A, Light Wood

E8332ACQUSB_LW

Main

Product or component type	USB charger
Device application	Charger
Integrated connection type	USB type A 5 V, maximum load current: 2.1 A USB type C 5 V, maximum load current: 2.1 A

Complementary

Device mounting	Flush
device presentation	Complete product
Colour tint	Light wood
Surface finish	Painted
Surface treatment	Untreated
Ambient air temperature for storage	-5...60 °C
Relative humidity	0...95 %
[Ue] rated operational voltage	100/240 V 50/60 Hz
power consumption in W	21 W
maximum load current with 2 outputs used simultaneously	3 A
Material	PC (polycarbonate)
Connections - terminals	Screw terminals
Clamping connection capacity	2.5 mm² for stranded cable(s) 2.5 mm² for solid cable(s) 1.5 mm² for stranded cable(s) 1.5 mm² for solid cable(s)
Wire stripping length	8 mm
Product compatibility	HTC XiaoMi Apple Samsung HW Major smart phone and tablet
Height	86 mm
Width	86 mm
Depth	40.1 mm
Embedding depth	30.4 mm
Net weight	0.1292 kg

Environment

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Standards	MS IEC 60950-1 IEC 60950-1 IEC 62368-1 IEC 61558-2-16
Product certifications	IEC
Electrical insulation class	Class II
IP degree of protection	IP20
Environmental characteristic	Liquid soap Alcohol Petrol

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	134.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	1.392 kg

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations Circularity Profile