Product datasheet

Specifications





USB charger, AvatarOn type A + C, 2.1...3A, Wood

E8332ACQUSB_WD

Main

Product or component type	USB charger	
Device application	Charger	
Integrated connection type	USB type A 5 V, maximum load current: 2.1 A USB type C 5 V, maximum load current: 2.1 A	

Complementary

_

Environment

Standards	MS IEC 60950-1 IEC 60950-1 IEC 62368-1 IEC 61558-2-16	
Product certifications	IEC	
Electrical insulation class	Class II	
IP degree of protection	IP20	
Environmental characteristic	Liquid soap Alcohol Petrol	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	134.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	1.392 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
	Circularity Profile