Product datasheet

Specifications





AvatarOn, 2 switches, 20AX, 250V, 2P, LED, Dark Grey

E8332D20N_DG_G8

Main

Product or component type	Switch
Device application	Control
Load type	Incandescent lamp Resistive Serial boost load (SBL) Fluorescent lamps Small motor load
Colour tint	Dark grey
Colour tint	Dark grey

Complementary

device presentation	Complete product	
Rated current	20 A at 250 V AC 50/60 Hz	
Switch function	2-pole 1-way	
Number of gangs	2 gangs	
Number of rocker	2	
Clamping connection capacity	3 x 2.5 mm ² for stranded cable(s) 1 x 4 mm ² for stranded cable(s) 1 x 6 mm ² for stranded cable(s)	
Connections - terminals	Brass terminal	
Local signalling	On: LED indicator, LED (amber)	
Material	Polycarbonate: grid plate Polycarbonate: base Polycarbonate: dolly Polycarbonate: frame Polycarbonate + GF 20 %: actuator	
Device mounting	Flush	
Width	86 mm	
Height	86 mm	
Depth	32 mm	

Environment

IP degree of protection	IP20
Maximum ambient air temperature for operation	45 °C
Operating altitude	2000 m
Relative humidity	095 %

Standards	SS 227-1
	MS IEC 60669-1
	IEC 60669-1
	BS EN 60669-1
	IS 3854
Environmental characteristic	UV resistant

Packing Units

-	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.5 cm
Package 1 Width	8.5 cm
Package 1 Length	8.5 cm
Package 1 Weight	140 g
Unit Type of Package 2	BB1
Number of Units in Package 2	60
Package 2 Height	21 cm
Package 2 Width	30 cm
Package 2 Length	39.5 cm
Package 2 Weight	8.4 kg

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations