Product datasheet

Specifications

, Green Premium™



AvatarOn, telephone + data socket, RJ45 Cat5E, shuttered, Wine Gold

E8332TDRJS5_WG

Main

Range	AvatarOn
Product or component type	Telephone + data socket
Socket additional information	Shuttered
Communication network category	Telephone: 3 Data: 5e
Colour tint	Wine gold
Main colour tint	Wine gold

Complementary

device presentation	Complete product
Connector type	RJ11/RJ45
Colour tint	Wine gold
Device mounting	Surface Flush
Number of gangs	2 gangs
Material	Polycarbonate
Contacts material	Contact: phosphor bronze with gold plating IDC contact: phosphor bronze with nickel plating
Minimum return loss	23 dB
Embedding depth	31 mm
Width	86 mm
Height	86 mm
Depth	40.7 mm

Environment

Dielectric strength	1000 V for 60 s at 60 Hz
AWG gauge	AWG 26AWG 22 (4 twisted pair cables)
Environmental characteristic	UV resistant
Maximum ambient air temperature for operation	35 °C
Relative humidity	095 %
Standards	TIA/EIA-568-B.2-1 ASTMD4566-98

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.1 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	69 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19 cm
Package 2 Length	19.5 cm
Package 2 Weight	742 g
Unit Type of Package 3	CAR
Number of Units in Package 3	60
Package 3 Height	21 cm
Package 3 Width	30 cm
Package 3 Length	39.5 cm
Package 3 Weight	4.952 kg

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >




Lower Impact Materials Transparency RoHS/REACh

Resource performance

Minimum Percentage Of Recycled 73 Plastic Content

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Yes