# **Product datasheet**

Specifications





# AvatarOn, TV/R/DATA socket, RJ45, cat5e, Wine Gold

E8332TVRJS5\_WG

#### Main

Range	AvatarOn
Product or component type	TV/R/DATA socket
Device application	Communication
Communication network category	5e
TV socket type	TV+Data
Number of gangs	2 gangs
Colour tint	Wine gold

## Complementary

device presentation	Complete product
Device mounting	Surface Flush
Data socket type	RJ45
Socket additional information	Shuttered
Socket number	2
Average impedance	75 Ohm
Material	Polycarbonate: surround Polycarbonate: grid plate
Bandwidth	5860 Hz
IP degree of protection	IP20
Width	87 mm
Height	87 mm
Depth	40.6 mm

#### **Environment**

Ambient air temperature for operation	-545 °C
Relative humidity	095 %
Standards	GB 17466

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.1 cm

Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	65.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	702.0 g



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations