Specifications

#### SQUARE D



# Mini circuit breaker, E-Frame, 25A, 3 pole, 600Y/347VAC, 65kA max, bolt on

EGB36025

## Main

Range	125 A Frame EDB-EGB-EJB	
Product Type	Circuit-breaker	
Device Short Name	EGB	
Module Type	E-Frame	
Trip Unit Rating	875 A	

## Complementary

Complementary		
Rated Current	25 A	
Maximum Operating Voltage	600Y/347 V AC	
AWG Gauge	AWG 12AWG 6 aluminum AWG 14AWG 6 copper	
Breaking Capacity	18 kA 600Y/347 V AC 35 kA 480Y/277 V AC 65 kA 240 V AC	
Circuit Breaker Application	HACR rated	
Electrical Connection	Lugs aluminum	
Holding Current	270 A	
Local Signalling	Trip indicator	
Mounting Mode	Bolt-on	
Number of Poles	3	
Number of Spaces	3	
Number of Spaces Required	3	
Product Destination	NF panelboard	
Protect Type	Overload Short-circuit	
Trip Unit Technology	Thermal-magnetic	
Breaking Capacity Code	G	
Tightening Torque	30.09 lbf.in (3.4 N.m) 0.0040.02 in <sup>2</sup> (2.516 mm <sup>2</sup> ) AWG 14AWG 6)	
Height	5.66 in (143.76 mm)	
Width	2.94 in (74.68 mm)	
Depth	4.05 in (102.87 mm)	
Product Weight	4 lb(US) (1.8 kg)	

## Environment

Product Certifications	cULus
Ambient Air Temperature for Operation	104 °F (40 °C)

# **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	4.80 in (12.192 cm)	
Package 1 Width	6.20 in (15.748 cm)	
Package 1 Length	9.90 in (25.146 cm)	
Package 1 Weight	3.64 lb(US) (1.65 kg)	

## 🜔 Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

### Ø Environmental footprint

Environmental Disclosure

Product Environmental Profile

#### **Use Better**

Materials and Substances				
Packaging made with recycled cardboard	No			
Packaging without single use plastic	No			
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)			
SCIP Number	8781af64-acd9-485c-9a86-abcdfbd458e3			
China RoHS Regulation	China RoHS declaration			

#### Use Again

$^{\circlearrowright}$ Repack and remanufacture	
Take-back	No