# Product data sheet





## Linergy FT, Comb busbar, 63A, 2 tap-offs, 54mm pitch

GV2G254

Product availability: Stock - Normally stocked in distribution

Price\*: 23.30 USD

#### Main

Range	Linergy
Product Name	FT
Device Short Name	GV2G
Product Or Component Type	Comb busbar
Accessory / Separate Part Category	Connection accessory
Poles Description	3P
Range Compatibility	TeSys GV2 TeSys K TeSys U TeSys Deca
Number Of Tap-Offs	2
[Ith] Conventional Free Air Thermal Current	63 A
Connection Pitch	2.13 in (54 mm)

### Complementary

Mounting Location	On terminal
[Ui] Rated Insulation Voltage	690 V
Length	3.86 in (98 mm)
Net Weight	0.08 lb(US) (0.038 kg)

### Ordering and shipping details

Category	US10I1122367
Discount Schedule	0111
Gtin	3389110555936
Returnability	Yes
Country Of Origin	RO

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.39 in (1 cm)
Package 1 Width	3.15 in (8 cm)
Package 1 Length	5.51 in (14 cm)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 1 Weight	1.41 oz (40 g)
Unit Type Of Package 2	S01
Number Of Units In Package 2	80
Package 2 Height	5.91 in (15 cm)
Package 2 Width	5.91 in (15 cm)
Package 2 Length	15.75 in (40 cm)
Package 2 Weight	7.24 lb(US) (3.285 kg)
Unit Type Of Package 3	P06
Number Of Units In Package 3	2560
Package 3 Height	30.31 in (77 cm)
Package 3 Width	31.50 in (80 cm)
Package 3 Length	23.62 in (60 cm)
Package 3 Weight	260.37 lb(US) (118.1 kg)

## **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance


<b>Ø</b>	Reach Free Of Svhc	
<b>②</b>	Toxic Heavy Metal Free	
<b>9</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

### **Certifications & Standards**


Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
<b>Environmental Disclosure</b>	Product Environmental Profile
Circularity Profile	End of Life Information

#### **Dimensions Drawings**

### Sets of Busbars $\text{GV2G}_{\bullet \bullet \bullet}$ with Terminal Block GV1G09



#### Sets of Busbars GV2G245, GV2G254, GV2GR272



	1
GV2G245 (2 x 45 mm)	89
GV2G254 (2 x 54 mm)	98
GV2G272 (2 x 72 mm)	116