

Specifications



Photo is representative



Eaton HFD3060L

Eaton Series C complete molded case circuit breaker, F-frame, HFD, Complete breaker, Fixed thermal, fixed magnetic trip type, Three-pole, 60A, 600 Vac, 250 Vdc, 100 kAIC at 240 Vac, 65 kAIC at 480 Vac, Line and load, 50/60 Hz

General specifications

| | |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PRODUCT NAME | Eaton Series C complete molded case circuit breaker |
| CATALOG NUMBER | HFD3060L |
| UPC | 786679175149 |
| PRODUCT LENGTH/DEPTH | 3.38 in |
| PRODUCT HEIGHT | 6 in |
| PRODUCT WIDTH | 4.13 in |
| PRODUCT WEIGHT | 4.5 lb |
| WARRANTY | Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. |
| CERTIFICATIONS | UL Listed |



Powering Business Worldwide

| Product specifications | |
|----------------------------|-------------------------------------------|
| AMPERAGE RATING | 60 A |
| VOLTAGE RATING | 600 Vac, 250 Vdc |
| TRIP TYPE | T186 |
| CIRCUIT BREAKER TYPE | HFD |
| CIRCUIT BREAKER FRAME TYPE | Complete breaker |
| SERIES | Series C |
| TERMINALS | Line and load |
| FRAME | F |
| FREQUENCY RATING | 50/60 Hz |
| INTERRUPT RATING | 65 kAIC at 480 Vac 100 kAIC at 240 Vac |
| NUMBER OF POLES | Three-pole |

| Resources | |
|-------------------------------|--------------------------------------------------------------------------------------|
| | Application of Tap Rules to Molded Case Breaker Terminals |
| APPLICATION NOTES | UL listed 100%-rated molded case circuit breakers |
| | Application of Multi-Wire Terminals for Molded Case Circuit Breakers |
| BROCHURES | Motor protection circuit breakers product aid |
| | StrandAble terminals product aid |
| | Current limiting Series C molded case circuit breakers product aid |
| | Plug-in adapters for molded case circuit breakers product aid |
| | Power metering and monitoring with Modbus RTU product aid |
| | Circuit breaker motor operators product aid |
| | Multi-wire lugs product aid |
| | Breaker service centers |
| CATALOGS | Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2 |
| MULTIMEDIA | Circuit breakers explained |
| | Circuit Breakers Explained |
| | Series C G-Frame molded case circuit breakers time current curves |
| | Series C J-Frame molded case circuit breakers time current curves |
| SPECIFICATIONS AND DATASHEETS | MOEM MCCB product selection guide |
| | Series C F-Frame molded case circuit breakers |
| | Eaton Specification Sheet - HFD3060L |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are property of
their respective owners.

Follow us on social media to get the latest
product and support information.

