

Specifications



Photo is representative

Eaton HMCP003A0

Eaton molded case circuit breaker accessory motor circuit protector, Motor circuit protector, 3 A, Three-pole, Frame J-K, 9-30 A, Series C, No accessory

General specifications	
PRODUCT NAME	Eaton molded case circuit breaker accessory motor circuit protector
CATALOG NUMBER	HMCP003A0
UPC	786679150702
PRODUCT LENGTH/DEPTH	7.6 in
PRODUCT HEIGHT	4.9 in
PRODUCT WIDTH	5.1 in
PRODUCT WEIGHT	4.25 lb
COMPLIANCES	Contact Manufacturer
CERTIFICATIONS	UL Listed CSA Certified



Product specifications	
TYPE	Motor circuit protector

Resources

AMPERAGE RATING	3 A
FRAME SIZE	Frame J-K
MAGNETIC TRIP RANGE	9-30 A
SERIES	Series C
ACCESSORIES	No accessory
NUMBER OF POLES	Three-pole

APPLICATION NOTES	Application of Multi-Wire Terminals for Molded Case Circuit Breakers UL listed 100%-rated molded case circuit breakers Application of Tap Rules to Molded Case Breaker Terminals
BROCHURES	Multi-wire lugs product aid Motor protection circuit breakers product aid StrandAble terminals product aid Circuit breaker motor operators product aid Plug-in adapters for molded case circuit breakers product aid Power metering and monitoring with Modbus RTU product aid Current limiting Series C molded case circuit breakers product aid Breaker service centers
CATALOGS	Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2
MULTIMEDIA	Flex shaft handle installation tutorial MOEM MCCB product selection guide Series C J-Frame molded case circuit breakers time current curves
SPECIFICATIONS AND DATASHEETS	Series C F-Frame molded case circuit breakers Eaton Specification Sheet - HMCP003A0 Series C G-Frame molded case circuit breakers time current curves

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are property of
their respective owners.

Follow us on social media to get the latest
product and support information.

