

Specifications



Photo is representative

Eaton HMCP003A0C

Eaton molded case circuit breaker accessory motor circuit protector, Motor circuit protector, 3 A, Three-pole, Frame J-K, 9-30 A, Series C, Non-aluminum

General specifications	
PRODUCT NAME	Eaton molded case circuit breaker accessory motor circuit protector
CATALOG NUMBER	HMCP003A0C
UPC	786679150795
PRODUCT LENGTH/DEPTH	8 in
PRODUCT HEIGHT	5 in
PRODUCT WIDTH	5 in
PRODUCT WEIGHT	4.5 lb
CERTIFICATIONS	UL Listed CSA Certified



Product specifications	
TYPE	Motor circuit protector

Resources

AMPERAGE RATING	3 A
FRAME SIZE	Frame J-K
MAGNETIC TRIP RANGE	9-30 A
SERIES	Series C
TERMINAL MATERIAL	Non-aluminum
NUMBER OF POLES	Three-pole

APPLICATION NOTES	UL listed 100%-rated molded case circuit breakers
	Application of Tap Rules to Molded Case Breaker Terminals
BROCHURES	Application of Multi-Wire Terminals for Molded Case Circuit Breakers
	Power metering and monitoring with Modbus RTU product aid
	Multi-wire lugs product aid
	Motor protection circuit breakers product aid
	StrandAble terminals product aid
	Current limiting Series C molded case circuit breakers product aid
	Plug-in adapters for molded case circuit breakers product aid
	Circuit breaker motor operators product aid
	Breaker service centers
	Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2
CATALOGS	
MULTIMEDIA	Flex shaft handle installation tutorial
	Series C G-Frame molded case circuit breakers time current curves
SPECIFICATIONS AND DATASHEETS	Series C F-Frame molded case circuit breakers
	MOEM MCCB product selection guide
	Series C J-Frame molded case circuit breakers time current curves
	Eaton Specification Sheet - HMCP003A0C

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are property of
their respective owners.

Follow us on social media to get the latest
product and support information.

