

Specifications

Eaton JDB2225



Photo is representative

Eaton Series C complete molded case circuit breaker, J-frame, JDB, Complete breaker, Fixed thermal, fixed magnetic trip, Two-pole, 225A, 600 Vac, 250 Vdc, 65 kAIC at 240 Vac, 35 kAIC at 480 Vac, Aluminum, Line and load, 50/60 Hz

General specifications

PRODUCT NAME	Eaton Series C complete molded case circuit breaker
CATALOG NUMBER	JDB2225
UPC	786679030165
PRODUCT LENGTH/DEPTH	4.06 in
PRODUCT HEIGHT	4.13 in
PRODUCT WIDTH	4.13 in
PRODUCT WEIGHT	10.5 lb
CERTIFICATIONS	UL Listed



Product specifications

AMPERAGE RATING	225 A
-----------------	-------

Resources

VOLTAGE RATING	600 Vac, 250 Vdc
TRIP TYPE	T186
CIRCUIT BREAKER TYPE	JDB
CIRCUIT BREAKER FRAME TYPE	Complete breaker
SERIES	Series C
TERMINALS	Line and load
FRAME	J
FREQUENCY RATING	50 to 60 Hz
TERMINAL MATERIAL	Aluminum
INTERRUPT RATING	65 kAIC at 240 Vac 35 kAIC at 480 Vac
NUMBER OF POLES	Two-pole

APPLICATION NOTES	Application of Multi-Wire Terminals for Molded Case Circuit Breakers UL listed 100%-rated molded case circuit breakers Application of Tap Rules to Molded Case Breaker Terminals
BROCHURES	Circuit breaker motor operators product aid Plug-in adapters for molded case circuit breakers product aid Motor protection circuit breakers product aid Current limiting Series C molded case circuit breakers product aid Power metering and monitoring with Modbus RTU product aid Multi-wire lugs product aid StrandAble terminals product aid Breaker service centers
CATALOGS	Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2
MULTIMEDIA	Circuit Breakers Explained Circuit breakers explained Series C G-Frame molded case circuit breakers time current curves Series C F-Frame molded case circuit breakers
SPECIFICATIONS AND DATASHEETS	MOEM MCCB product selection guide Series C J-Frame molded case circuit breakers time current curves Eaton Specification Sheet - JDB2225

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are property of
their respective owners.

Follow us on social media to get the latest
product and support information.

