



## MATERIAL FACT SHEET

### 238057 L02CPU

#### General Data

Product Hierarchy	IAD510
	Modular PLC
	L-Serie
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_1A/EUR/en/p/000000000000238057](https://mitsubishi-electric-eshop.mee.com/mee/FA_1A/EUR/en/p/000000000000238057)

#### FA-MOD PLC: CPU Module

Series	MELSEC-L SERIES
Type	SINK
Program Memory	20K
Program Memory Unit	STEPS
Local I/O Points	1024
Local + Remote I/O Points	8192
Cycle Time LD (ns)	40
Cycle Time MOV (ns)	80
USB	1
Ethernet Port	1
Buffer Battery	YES
Int. Current Consumption (A)	0,94

#### Product Dimensions & Weight

Width (mm)	70
Height (mm)	90
Depth (mm)	95
Weight (kg)	0,37

#### Logistic Dimensions & Gross Weight

Length (cm)	15,5
Width (cm)	13,5
Height (cm)	12,5
Gross Weight (kg)	0,590
Volume (cdm)	2,616

#### Stock Data

Planned Delivery Time (Days)	136
------------------------------	-----

#### Life Cycle

Sales Start	03.02.2011
Predecessor	No Predecessor
Successor	244976 / L02CPU-P

#### Additional Product Information

Binding Tariff Information	DEBTI-52748/20-1
BTI validity date	27.06.2024
Battery included	YES - CHECK SPARE PART LIST

#### Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

## Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">110-71-4</a>
REACH Substance CAS Number (2)	<a href="#">12060-00-3</a>
REACH Substance CAS Number (3)	<a href="#">1303-86-2</a>
REACH Substance CAS Number (4)	<a href="#">68-12-2</a>
REACH Substance CAS Number (5)	<a href="#">7439-92-1</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

## Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
UKCA	COMPLIANT

## Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=L02CPU&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=L02CPU&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=L02CPU&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=L02CPU&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=L02CPU&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=L02CPU&amp;doc-lang=en</a>

## Product Packaging

Cardboard (g)	115
Other paper (g)	1
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	6
Wood (g)	0
Glass (g)	0
Others (g)	0

## Spare parts

Material	Description	Quantity	Unit
<a href="#">130376</a>	Q6BAT	1	PC

## Compatible products

Material	Description / Price List Text / Classification
<a href="#">128424</a>	QC30R2 PLC Q Series CPU Programming cable for RS232 or A9GT-RS2, mini DIN6P-Dsub9P, 3m Class 100100214: FA-MOD PLC: Cable
<a href="#">130376</a>	Q6BAT Lithium Cell for Programmable Controller type Q CPU; CR238L-CN159S 3V Class 100100216: FA-MOD PLC: Spare Part
<a href="#">130376</a>	Q6BAT Lithium Cell for Programmable Controller type Q CPU; CR238L-CN159S 3V Class 100101303: FA-OTHERS: Battery
<a href="#">134139</a>	A6CON1 PLC Connection-plug for I/O-Modules Source-Input/Sink-Output, soldering Class 100100215: FA-MOD PLC: Other Option
<a href="#">134140</a>	A6CON2 PLC Connection-plug for I/O-Modules Source-Input/Sink-Output, crimp Class 100100215: FA-MOD PLC: Other Option
<a href="#">134141</a>	A6CON3 PLC Connection-plug for I/O-Modules Source-Input/Sink-Output, wrap Class 100100215: FA-MOD PLC: Other Option
<a href="#">140991</a>	Q40CBL-3M PLC Connection cable 40-pin modules (A6CON-type), shielded, length 3 m, open end Class 100100214: FA-MOD PLC: Cable
<a href="#">140997</a>	Q40CBL-5M PLC Connection cable 40-pin modules (A6CON-type), shielded, length 5 m open end Class 100100214: FA-MOD PLC: Cable
<a href="#">146923</a>	A6CON4 PLC Connection-plug for I/O-Modules as A6CON-1 w/ 45 degree cable-outlet Class 100100215: FA-MOD PLC: Other Option

Material	Description / Price List Text / Classification
<a href="#">158068</a>	Q40CBL-10M PLC Connection cable 40-pin modules (A6CON-type), shielded, length 10 m open end Class 100100214: FA-MOD PLC: Cable
<a href="#">158069</a>	Q40CBL-15M PLC Connection cable 40-pin modules (A6CON-type), shielded, length 15 m open end Class 100100214: FA-MOD PLC: Cable
<a href="#">221540</a>	USB-CAB-5M USB 2.0 connection cabel, plug USB A to plug USB B (mini), 5m Class 100100303: FA-HMI: Cable
<a href="#">234630</a>	GX Works2 2L-USB PLC Programming Software for MELSEC Q/L/F, English, 2 Licences USB Class 100101201: FA-Software: Software PLC
<a href="#">234631</a>	GX Works2 V01-5L0C-E PLC Programming –S/W for MELSEC Q/L/F;engl;USB;5 PC´s Class 100101201: FA-Software: Software PLC
<a href="#">238058</a>	L6DSPU PLC, L-Series Display; 16 characters x 4 lines; green/red switch.; optional Class 100100215: FA-MOD PLC: Other Option
<a href="#">238059</a>	L6ADP-R2 PLC, L-Series Serial Module; RS232; 115,2 kbps Class 100100210: FA-MOD PLC: Serial Com Module
<a href="#">238062</a>	L6EC-ET PLC, L-Series End cover; End cover with error terminal Class 100100215: FA-MOD PLC: Other Option
244876	GX Works2 V01-2L0C-G PLC Programming –S/W for MELSEC Q/L/F Series; German; USB; 2 PCs Class 100101201: FA-Software: Software PLC
244877	GX Works2 V01-5L0C-G PLC Programming –S/W for MELSEC Q/L/F; USB; 5 PCs Class 100101201: FA-Software: Software PLC
<a href="#">249151</a>	L6EC SPS L Serie;End Cover for System Extension Class 100100215: FA-MOD PLC: Other Option
<a href="#">273657</a>	L6ADP-R4 PLC, L-Series Serial Module; RS422/485; 115,2 kbps Class 100100210: FA-MOD PLC: Serial Com Module
<a href="#">286228</a>	iQ Works 5L-USB iQ Works V2.0, incl Navigator/GX Works/GT Works/MT Works, English, 5 Licences USB Class 100101201: FA-Software: Software PLC
<a href="#">303426</a>	iQ Works V02-15L0C-E iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;engl;USB;15 PC´s Class 100101201: FA-Software: Software PLC
<a href="#">314841</a>	Q40CBL-10M-S PLC Connection cable 40-pin modules(A6CON-type),10m,open,LiYY 40x0,14 mm²,flex Class 100100214: FA-MOD PLC: Cable
<a href="#">314842</a>	Q40CBL-15M-S PLC Connection cable 40-pin modules(A6CON-type),15m open,LiYY 40x0,14 mm²,flex Class 100100214: FA-MOD PLC: Cable
338821	iQ Works V02-2L0C-G iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;German;USB;2 PC´s Class 100101201: FA-Software: Software PLC
339022	iQ Works V02-5L0C-G iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;German;USB;5 PC´s Class 100101201: FA-Software: Software PLC
<a href="#">340984</a>	Transcend SDHC card 16GB Class 10 SDHC memory card 16GB; Class 10; R: 30MB/s; W: 15MB/s Class 100100304: FA-HMI: Other Option
<a href="#">401853</a>	iQ Works V02-2L0C-IT iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;Italian;USB;2 PCs Class 100101201: FA-Software: Software PLC
<a href="#">470796</a>	Q7BATN PLC Q Series Battery for CPU; 3 V DC; 6000 mAh Class 100100216: FA-MOD PLC: Spare Part
<a href="#">470796</a>	Q7BATN PLC Q Series Battery for CPU; 3 V DC; 6000 mAh Class 100101303: FA-OTHERS: Battery
<a href="#">470797</a>	Q7BATN-SET PLC Q Series Battery for CPU; 3 V DC; 6000 mAh; incl. Battery holder Class 100100216: FA-MOD PLC: Spare Part

Material	Description / Price List Text / Classification
<a href="#">470797</a>	Q7BATN-SET PLC Q Series Battery for CPU; 3 V DC; 6000 mAh; incl. Battery holder Class 100101303: FA-OTHERS: Battery
<a href="#">491761</a>	Verbatim microSDHC Card 16GB Class 10 MicroSDHC memory card 16GB; Class 10; R/W: 10MB/s; adapter included Class 100100215: FA-MOD PLC: Other Option
<a href="#">612268</a>	Transcend SDHC Card 8GB Class 4 SDHC memory card 8GB; Class 4; R: 18MB/s; W: 6MB/s Class 100100304: FA-HMI: Other Option
<a href="#">697551</a>	IE-C6A-0.2m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 0.2m, for Cabinet Class 100100214: FA-MOD PLC: Cable
<a href="#">697582</a>	IE-C6A-0.5m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 0.5m, for Cabinet Class 100100214: FA-MOD PLC: Cable
<a href="#">697583</a>	IE-C6A-1.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 1.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
<a href="#">697584</a>	IE-C6A-2.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 2.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
<a href="#">697585</a>	IE-C6A-5.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 5.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
<a href="#">697586</a>	IE-C6A-10.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 10.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
<a href="#">697587</a>	IE-C6A-15.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 15.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
<a href="#">697588</a>	IE-C6A-20.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 20.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
<a href="#">697589</a>	IE-C6A-25.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 25.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
<a href="#">697590</a>	IE-CB-1piece CC-Link Bending tool for Patch Cable, RJ45, 1 piece, 90°Deg radius Class 100100215: FA-MOD PLC: Other Option
<a href="#">697591</a>	IE-C6A-CON-10pcs CC-Link IE Certified Patch Cable connector, easy clip, RJ45, Cat.6A, 10pcs box Class 100100215: FA-MOD PLC: Other Option
<a href="#">717285</a>	EDS-G2008-EL 8Port Entry-level Unmanaged Switch,10/100/1000BaseT(X),CCLink IE Field/TSN Cl. A Class 100100211: FA-MOD PLC: Network Module
<a href="#">717286</a>	EDS-G2005-EL 5Port Entry-level Unmanaged Switch,10/100/1000BaseT(X),CCLink IE Field/TSN Cl. A Class 100100211: FA-MOD PLC: Network Module