Main

Suppressor module, TeSys Deca, varistor, 24 to 48VAC

LAD4VE

Product availability: Stock - Normally stocked in distribution facility

Price*: 31.44 USD

Range	TeSys
Device short name	LAD4
Product or Component Type	Suppressor module
Product compatibility	3P LC1D09D38 4P LC1DT20DT40 4P LC1D098D258 CAD32, CAD50
Complementary	
Mounting Location	Front Front
	Front
	Front Front
	Front
	Front
Mounting Mode	By clips
Suppressor technology	Varistor (peak limiting)
[Uc] control circuit voltage	2448 V AC
Maximum peak voltage	2 Uc

Environment

Net Weight

Environment	
Standards	IEC 60947-5-1 EN 60947-5-1 CSA C22.2 No 60947-5-1 UL 60947-5-1 GB/T 14048.5
Product Certifications	UL CSA
IP degree of protection	IP2XIEC 60529
Ambient air temperature for operation	-13131 °F (-2555 °C)

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

0.03 lb(US) (0.012 kg)

Ordering and shipping details

Category	22341-CONTACTOR,D,K,&F ACCESS
Discount Schedule	l12
GTIN	3389110385496
Returnability	Yes
Country of origin	FR

Packing Units

· · · · · · · · · · · · · · · · · · ·	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.43 in (1.100 cm)
Package 1 Width	3.94 in (10.000 cm)
Package 1 Length	1.97 in (5.000 cm)
Package 1 Weight	0.48 oz (13.700 g)
Unit Type of Package 2	S01
Number of Units in Package 2	70
Package 2 Height	5.91 in (15 cm)
Package 2 Width	5.91 in (15 cm)
Package 2 Length	15.75 in (40 cm)
Package 2 Weight	2.58 lb(US) (1.169 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	1120
Package 3 Height	17.72 in (45.000 cm)
Package 3 Width	23.62 in (60.000 cm)
Package 3 Length	31.50 in (80.000 cm)
Package 3 Weight	85.94 lb(US) (38.980 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Contractual warranty

Warranty

18 months

Recommended replacement(s)