

# Product datasheet

Specifications



Terminal block, TeSys D, Everlink  
BTR screw connectors, 3P, for  
contactors LC1D40A-D80A

LAD96560

## Main

|                                   |  |
|-----------------------------------|--|
| Range                             | TeSys                                      |
| Device short name                 | LAD9                                       |
| product or component type         | Terminal block                             |
| Accessory / separate part categor | Connection accessory                       |
| poles description                 | 3P   |
| Product compatibility             | LRD3<br>LRD3..L<br>LR3D3<br>LC1D40A...D80A |

## Complementary

|                         |                               |
|-------------------------|-------------------------------|
| Connections - terminals | EverLink BTR screw connectors |
| net weight              | 0.087 kg                      |

## Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 1.800 cm  |
| Package 1 Width              | 6.200 cm  |
| Package 1 Length             | 5.500 cm  |
| Package 1 Weight             | 86.000 g  |
| Unit Type of Package 2       | BB1       |
| Number of Units in Package 2 | 5         |
| Package 2 Height             | 6.400 cm  |
| Package 2 Width              | 7.400 cm  |
| Package 2 Length             | 13.600 cm |
| Package 2 Weight             | 458.000 g |
| Unit Type of Package 3       | S01       |
| Number of Units in Package 3 | 50        |
| Package 3 Height             | 15.000 cm |
| Package 3 Width              | 15.000 cm |
| Package 3 Length             | 40.000 cm |
| Package 3 Weight             | 4.805 kg  |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

|                       |   |                     |
|-----------------------|---|---------------------|
| ✓                     | Reach Free Of Svhc  |                     |
| ✓                     | Toxic Heavy Metal Free  |                     |
| ✓                     | Mercury Free  |                     |
| ✓                     | Rohs Exemption Information  | Yes                 |
| Reach Regulation      | REACH Declaration   |                     |
| Eu Rohs Directive     | Compliant   | EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration  |                     |
| Weee                  | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |                     |