# **Product datasheet**

Specifications





## extended rotary handle, ComPacT NSX 400/630, black handle, shaft length 209 to 600 mm, IP55

LV432598T

EAN Code: 3606482004122

#### Main

Range Of Product	ComPacT NSX400630 new generation
Product Or Component Type	Rotary handle
Accessory / Separate Part Type	Control accessories
Handle Colour	Black
Handle Front Plate Colour	Black
Rotary Handle Mounting Style	Extended

## Complementary

Rotary Handle Padlocking	1 to 3 padlocks Padlock in OFF position
Rotary Handle Mounting Location	Front
Range Compatibility	ComPacT new generation ComPacT NSX400 new generation ComPacT new generation ComPacT NSX630 new generation EasyPact EasyPact CVS400 EasyPact EasyPact CVS630 PowerPact PowerPact Multistandard

#### Environment

Ip Degree Of	Protection	IP55

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	16.000 cm
Package 1 Length	48.500 cm
Package 1 Weight	905.000 g
Unit Type Of Package 2	S04
Number Of Units In Package 2	5
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	5.480 kg
Unit Type Of Package 3	P12

Number Of Units In Package 3	60
Package 3 Height	105.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	75.852 kg

## **Contractual warranty**

Warranty

18 months

# Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.





RoHS/REACh

#### Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Halogen Free Plastic Parts Product	

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Circularity Profile	End of Life Information