

APP super heavy duty capacitor - 3phase delta connection - 7.5 kVAr 440V 50 Hz

MEHVBAPP075A44

! Discontinued on: 13-Apr-2024

(!) Discontinued

Main

Range	PowerLogic
Product name	PowerLogic PFC Capacitor
Product or component type	Super heavy duty capacitor
Device application	Direct connection with machine Fixed bank Stand alone PFC equipment

Complementary

Reactive power rating	7.5 kvar
rated voltage	440 V
[In] rated current	10 A
Network frequency	50 Hz
capacitance tolerance	- 5 % to 10 %
[Imp] maximum permanent current	2.0 x ln
Inrush current	Up to 350 x In
Service life in hours	150000 h
Impregnation material	Non-PCB Oil
Connections - terminals	Bushing terminals for large cables Direct busbar mounting for banking
Capacitor connection	3-phase delta connection
Safety function	Non-self healing (NSH) Discharge device
Fixing mode	Mounting cleats
Length	175 mm
Height	325 mm
Width	100 mm
Net weight	5.5 kg

Environment

Standards	IS 13585-1994
Ambient air temperature for operation	-1050 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	31 cm
Package 1 Width	10 cm
Package 1 Length	19 cm
Package 1 Weight	7 kg

Contractual warranty

Warranty 18 mois

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Eu Rohs Directive Compliant

EU RoHS Declaration